

Robotic Pool Cleaner

- Lightweight and Easy Use
- Excellent suction and filtration
- Efficient, easy to remove debris, leaves, sand, stones, even steel bolts
- Rechargeable battery, cordless design
- Ideal for above/in-ground Pool
- Stop at the edge of the pool while no battery, no tools needed to pick up the robot



NEW

1824 >

Filter capacity	Power	Charging time	Working time	Battery	Waterproof	Certifications
5.5L	28W	3.5 H	90 min	4000mAh	IPX8	CE ROHS ETL

Electric Pool Cleaner

- Suitable for swimming pool, paddling pool and spa till 3m water
- Efficient, easy to remove debris, leaves, sand, stones, even steel bolts
- Suction comes from lithium battery, without the use of hoses or electrical cords
- Quick to install, no tools needed
- Efficient to clean the corner and the ladder
- Coordinate with comfortable portable handle or telescopic pole, flexible switching
- Underside wheels for easy gliding




NEW

1817 >

Filter capacity	Power	Charging time	Working time	Battery	Waterproof	Certifications
1.4L	22W	3.5 H	120 mins	4000mAh	IPX8	CE ROHS ETL

Electric Pool Cleaner




NEW

1814 >

Suction flow	Filter capacity	Power Rating	Charging time	Working time	Battery	Waterproof	Telescopic pole	Certifications
25L/min	0.23 L	6 W	2 H	120 min	1600mAh/11.1V	IPX8	1.65m / 5.5ft	CE ROHS ETL

- Suitable for all conditions of water cleaning more than 38cm water
- Rechargeable battery: Lithium ion extended life and constant performance
- Automatic with immersion detector,deactivation when water level is insufficient
- Quick to install,no tools needed
- Efficient to clean the corner and the ladder
- Allowed to be immersed in water completely

Electric Pool Cleaner



NEW

1822 >

Suction flow	Filter capacity	Power Rating	Charging time	Working time	Battery	Waterproof	Telescopic pole	Certifications
25L/min	0.25 L	6 W	2 H	120 min	1600mAh/11.1V	IPX8	1.65m/5.5ft	CE ROHS ETL

- Suitable for all conditions of water cleaning more than 38cm water
- Rechargeable battery: Lithium ion extended life and constant performance
- Automatic with immersion detector,deactivation when water level is insufficient
- Quick to install,no tools needed
- Efficient to clean the corner and the ladder
- Allowed to be immersed in water completely

Automatic Pool Cleaner



Work efficiently





Automatic cleaning



Quiet working



Quick Installation



NEW

1815 >

- Durable , Convenient and Efficient
- Diaphragm included to drive the moving of cleaner
- Quick Installation without tools

- To clean both pool wall and bottom
- Quality spiral wounded hoses included(10pcs*100cm)
- Work with 0.5HP pump (0.75hp to 1.5hp is more suitable)

Automatic Pool Cleaner



Work efficiently



Automatic cleaning



Quiet working



Quick Installation



1809 >

- Durable , Convenient and Efficient
- Diaphragm included to drive the moving of cleaner
- Quick Installation without tools

- To clean both pool wall and bottom
- Quality spiral wounded hoses included(10pcs*100cm)
- Work with 0.5HP pump (0.75hp to 1.5hp is more suitable)

Automatic Pool Cleaner



Work efficiently



Automatic cleaning



Quiet working



Quick Installation



1811 >

- Durable , Convenient and Efficient
- Diaphragm included to drive the moving of cleaner
- Quick Installation without tools
- To clean both pool wall and bottom
- Quality spiral wounded hoses included(10pcs*100cm)
- Work with 0.5HP pump (0.75hp to 1.5hp is more suitable)

Automatic Pool Cleaner



Work efficiently



Automatic cleaning



Quiet working




Quick Installation



1813 >

- Durable , Convenient and Efficient
- Diaphragm included to drive the moving of cleaner
- Quick Installation without tools
- To clean both pool wall and bottom
- Quality spiral wounded hoses included(10pcs*100cm)
- Work with 0.5HP pump (0.75hp to 1.5hp is more suitable)



1831

Vacuum seal



1832

Foot Pad



1833

Diaphragm



1848

Elbow Connector (2pcs)



1849

Cone adaptor



1850

Universal adaptor



1853

Pipe weight



1851

Eyelet

In-ground pool cover reel with aluminium detachable stands

1756 >

- Anodized aluminum stands
- Buckles or elastic rope to attach pool cover to roller
- Detachable stands save freight cost
- Length can be customized
- Max.loading capacity:60kgs



In-ground pool cover reel with stainless steel detachable stands

1758 >

- Stainless steel stands
- Buckles or elastic rope to attach pool cover to roller
- Detachable stands save freight cost
- Length can be customized
- Max.loading capacity:60kgs



Cover Reel

In-ground pool cover reel with stainless steel stands

1760 >

- Stainless steel stands
- Buckles or elastic rope to attach pool cover to roller
- Length can be customized
- Max.loading capacity:60kgs



In-ground pool cover reel with stainless steel detachable stands

1761 >

- Stainless steel stands
- Buckles or elastic rope to attach pool cover to roller
- Length can be customized
- Max.loading capacity:60kgs



Cover Reel



Non- grooved anodized alumimum tube for cover reel
Thickness:1.3mm, Inner dia:76mm,Outer dia:81mm



Non- grooved anodized alumimum tube for cover reel
Thickness:1.3mm,Inner dia:70mm,Outer dia:75mm



Non- grooved anodized alumimum tube for cover reel
Thickness:1.3mm, Inner dia:76mm,Outer dia:81mm



Grooved anodized alumimum tube for cover reel
Thickness:1.3mm, Inner dia:95mm,Outer dia:101mm



Pool cover reel straps kit for Non-grooved tube(1x8pcs)



Pool cover reel straps kit for grooved tube(1x8pcs)



Pool cover reel straps kit for grooved tube(1x8pcs)

Solar Bubble Pe Covers

- Thickness: 100-600 micron;accept orders for the special thickness
- Width: can reach up to 7.3 meters by means of combination
- Air bubble Diameter: 10mm
- Color: blue/blue,black/blue
- Shape: rectangle, round and oval,ect
- Apply anti-UV additive



Cover Reel

Above Ground Pool Cover Reel W/ABS Frame



1717	Above ground pool cover reel W / ABS frame for ϕ 3-14" & 1-1/2" tubes (not include tubes)
2327LC	Aluminium tubes for 1717, 3X2.7m (hexagonal)
2335LC	Aluminium tubes for 1717, 3X3.55m (hexagonal)
2321LC	Aluminium tubes for 1717, 3X2.1m (hexagonal)




17172	Above ground pool cover reel with ABS frame with two base , And include 7x1.05m+1x0.32m hexagonal aluminium tube
-------	--

Plastic Sand Filter

Top Mount

- Compact and light weight
- Designed for most domestic swimming pools
- Clamp lock is designed to allow 360 degree rotation to simplify installation
- Easy-to-use multiport valve lets you select any of the valve /filter operation with a simple lever-action



• Maximum Working Pressure
200kpa/28psi/2.0bar

• Maximun Water Temperature
40°C(104°F)

• Factory Testing Pressure
300kpa/44psi/3.0bar

• Size Of Silica Sand
0.5-0.8mm

• Maximum Filtration Velocity
50m³/h / m²

• Color can be Customized
■ ■ ■ ■

Model No.	A		B		C		D		E		Filter Area(M ²)	Valve Connections	Max Flow Rate	Sand(Kg)
	mm	in	mm	in	mm	in	mm	in	mm	in				
2501	360	14.2	340	13.4	730	28.7	550	21.7	619	24.4	0.1	1.5inch 50mm	72lpm 4.32m ³ /h	20
2502	400	15.7	340	13.4	810	31.9	590	23.2	640	25.2	0.13	1.5inch 50mm	102lpm 6.12m ³ /h	35
2503	460	18.1	420	16.5	840	33.1	638	25.1	698	27.5	0.16	1.5inch 50mm	130lpm 7.80m ³ /h	45
2504	510	20.1	420	16.5	860	33.9	670	26.4	730	28.7	0.22	1.5inch 50mm	180lpm 10.80m ³ /h	85
2505	620	24.4	480	18.9	1075	42.3	900	35.4	960	37.8	0.31	1.5inch 50mm	255lpm 15.30m ³ /h	145

Plastic Sand Filter

Side Mount

- Transparent lid cover allows easy inspection of the sand bed
- Top diffuser ensures even distribution of water over the top of the sand bed
- Air relief bolt enables easy release of trapped air during operation of the filter
- Easy-to-use multiport valve lets you select any of the valve/filter operation with a simple lever-action



- Maximum Working Pressure
200kpa/28psi/2.0bar
- Maximum Filtration Velocity
50m³/h / m²
- Maximum Water Temperature
40°C(104°F)
- Factory Testing Pressure
300kpa/44psi/3.0bar
- Size Of Silica Sand
0.5-0.8mm
- Color can be Customized
■ ■ ■ ■

Model No.	A	B	C	D	E	F	Filter Area(M ²)	Valve Connections	Max Flow Rate	Sand (Kg)						
	mm	in	mm	in	mm	in										
2506	460	18.1	420	16.5	180	7.1	660	26.0	440	17.3	500	19.6	0.16	1.5inch 50mm	130lpm 7.80m ³ /h	45
2507	510	20.1	420	16.5	180	7.1	700	27.6	460	18.1	520	19.6	0.22	1.5inch 50mm	180lpm 10.80m ³ /h	85
2508	620	24.4	480	18.9	180	7.1	940	37.0	510	20.1	570	22.4	0.31	1.5inch 50mm	255lpm 15.30m ³ /h	145

Plastic Sand Filter

Filtration Combo

- Compact and light weight
- Designed for most domestic swimming pools or spa pools
- Clamp lock is designed to allow 360 degree rotation to simplify installation
- Easy-to-use multiport valve lets you select any of the valve/filter operation with a simple lever-action




- Maximum Working Pressure
200kpa/28psi/2.0bar
- Maximum Water Temperature
40°C(104°F)
- Factory Testing Pressure
300kpa/44psi/3.0bar
- Size Of Silica Sand
0.5-0.8mm
- Color can be Customized
■ ■ ■ ■

Model No.	A	B	Filter Area(M ²)	Pump(Kw)	Valve Connections	Max Flow Rate	Sand(Kg)		
	mm	in							
2509	360	14.2	750	29.5	0.1	0.25	1.5inch 50mm	72lpm 4.32m ³ /h	20
2510	410	16.1	815	32.1	0.13	0.37	1.5inch 50mm	102lpm 6.48m ³ /h	35
2511	460	18.1	820	32.3	0.16	0.55	1.5inch 50mm	135lpm 8.10m ³ /h	45
2512	520	20.5	845	33.3	0.22	0.75	1.5inch 50mm	185lpm 11.10m ³ /h	85

Plastic Sand Filter

Filtration Combo

- Designed For Above Ground Pools



- Include 4 way Valve, and System Base



- Maximum Working Pressure
200kpa/28psi/2.0bar

- Factory Testing Pressure
300kpa/44psi/3.0bar

- Maximum Water Temperature
40°C(104°F)

- Size Of Silica Sand
0.5-0.8mm

- Color can be Customized



Model No.	A mm	A in	B mm	B in	Filter Area(M ²)	Pump(Kw)	Valve Connections	Max Flow Rate	Sand(Kg)
2520	250	9.8	380	15	0.05	0.2	1.5inch 38mm	40lpm 2.4m ³ /h	8



Pump

Filtration Pump

- The pump body, cover and impeller are made of high-quality reinforced engineering plastics.
- Single phase two pole asynchronous motor, Class B insulation, IP54 protection level.
- The water pump is equipped with a thermal protector, which ensures quiet operation and continuous operation.
- Good mechanical sealing performance, durable. Beautiful appearance, simple operation and convenient maintenance.




Model No.	Hmax	Voltage	Power	Flow	L	W	H	A	B	C	D	E	G
HLS-280	7m	230V/50Hz	0.28KW	130L/min	332	160	190	/	/	/	/	/	G1/G1½
HLS-370	9m	230V/50Hz	0.37KW	180L/min	494	165	259	303	120	204	241	174	G1½
HLS-550	10m	230V/50Hz	0.55KW	215L/min	494	165	259	303	120	204	241	174	G1½
HLS-750	11m	230V/50Hz	0.75KW	240L/min	494	165	259	303	120	204	241	174	G1½
HLS-900	13m	230V/50Hz	0.9KW	300L/min	494	165	295	303	120	204	241	174	G1½



Solar Heating Panel

- Using the pool pump, water is automatically pumped through the solar collectors
- The water is then heated as it moves through the collectors.
- The heated water is returned back to the pool, through the return lines.




Item	Size
2801	10'X2.5' / 3MX0.75M
2802	16'X2.5' / 5MX0.75M
2803	20'X2.5' / 6MX0.75M

Solar Heater

2810 >

- Heat your pool to a warm, comfortable temperature.
- Installs in-line, quickly & easily.
- Compatible with 32/38mm (1¼/1½in) pool flexible hoses.
- Dimensions: W57×D57×H32cm
- Dramatically reduces or eliminates pool heating costs compared with gas or electrical heater.
- Integrated rack helps to set up an optimal solar angle for the heater
- Extend your swimming season with warm water.
- Additional heaters can be easily connected for larger pools.
- Includes 120cm/4ft hoses, fittings & stainless steel clamps.
- Includes a protective cover for storage purpose when not in use.
- Depending on weather conditions, 1 heater is recommended per 10,000 liters of pool volume



Pool Size Round or Rectangular	Recommended units of Solar Heaters
244cm/8ft	1
305cm/10ft	1
366cm/12ft	1 or 2
457cm/15ft	2
488cm/16ft	2
549cm/18ft	2 or 3
732cm/24ft(oval)	2 or 3
945cm/32ft	3
853cm/28ft	3



Solar shower

28210G >

One-section solar shower 20l

- Wall Thickness
3.5-3.8MM
- Out Diameter
110MM
- Height
218CM
- Maximum Water Temperature
60°C
- Maximum Water Pressure
3.0 Bar

- Die-casted Aluminium Base
- Chrome Painted ABS Shower Heads
- Chrome Painted ABS Elbow Fitting For Shower Head
- Zink Adjustable Hand For Cold And Hot Water
- Including All The Other Fitting For Installation
- Material : PVC, Color : Black



Solar shower

28411 >

One-section solar shower 35l with footshower

- Wall Thickness
4.2-4.5MM
- Out Diameter
160MM
- Height
218CM
- Maximum Water Temperature
60°C
- Maximum Water Pressure
3.5 Bar

- Die-casted Aluminium Base
- Chrome Painted ABS Shower Heads(Dia : 15CM)
- Chrome Painted ABS Elbow Fitting For Shower Head
- Zink Adjustable Hand For Cold And Hot Water
- Including All The Other Fitting For Installation
- Material : PVC, Color : Black



28220G >

Two-section solar shower 20l

- Wall Thickness
3.5-3.8MM
- Out Diameter
110MM
- Height
218CM
- Maximum Water Temperature
60°C
- Maximum Water Pressure
3.0 Bar

- Die-casted Aluminium Base
- Chrome Painted ABS Shower Heads
- Chrome Painted ABS Elbow Fitting For Shower Head
- Zink Adjustable Hand For Cold And Hot Water
- Including All The Other Fitting For Installation
- Material : PVC, Color : Black



28441 >

Two-section solar shower 35l with footshower

- Wall Thickness
4.2-4.5MM
- Out Diameter
160MM
- Height
218CM
- Maximum Water Temperature
60°C
- Maximum Water Pressure
3.5 Bar

- Die-casted Aluminium Base
- Chrome Painted ABS Shower Heads
- Chrome Painted ABS Elbow Fitting For Shower Head
- Zink Adjustable Hand For Cold And Hot Water
- Including All The Other Fitting For Installation
- Material : PVC, Color : Black



Stainless Steel Ladder

SL series >



For In-Ground Pool mm

Item NO.		Tube Dia	Step	A	B	C	D	E	F
With Plastic Step	With S.S Step								
SL215P	SL215	φ42	2	620	1320	700	250	200	500
SL315P	SL315	φ42	3	620	1570	700	250	200	500
SL415P	SL415	φ42	4	620	1820	700	250	200	500
SL515P	SL515	φ42	5	620	2070	700	250	200	500

SU series >



For In-Ground Pool mm

Item NO.		Tube Dia	Step	A	B	C	D	E	F
With Plastic Step	With S.S Step								
SU215P	SU215	φ42	2	265	1070	490	250	150	500
SU315P	SU315	φ42	3	265	1320	490	250	150	500
SU415P	SU415	φ42	4	265	1570	490	250	150	500
SU515P	SU515	φ42	5	265	1820	490	250	150	500

SF series >



For In-Ground Pool mm

Item NO.		Tube Dia	Step	A	B	C	D	E	F
With Plastic Step	With S.S Step								
SF215P	SF215	φ42	2	600	1350	720	250	170	500
SF315P	SF315	φ42	3	600	1600	720	250	170	500
SF415P	SF415	φ42	4	600	1850	720	250	170	500
SF515P	SF515	φ42	5	600	2100	720	250	170	500

Above Ground Ladder



2402

2- step ladder
For pools height less than
76cm/30"



2403

3-step ladder
For pools height less than
91.5-105cm/36"-42"



2404

4-step ladder
For pools height less than
122-132cm/48"-52"



1716

Foot basin



17161

Big foot basin



Premium Product

1031

- Premium vacuum head
- Cast iron weighted
- W/swivel cuff and EZ twist
- Telepole connect /disconnect



1438

20"/50cm Premium polybristle Floor and wall brush w/roller bumper, push button angle adjust and EZ twist telepole connect/disconnect



1323

Premium large leaf skimmer w / soft-scoop edge and EZ twist telepole connect / disconnect



1220

Premium large deep bag leaf rake w / soft-scoop edge and EZ twist telepole connect / disconnect



Wall Skimmer

2001

Standard wall skimmer



2002

Wide mouth wall skimmer



2006

One complete wide mouth wall skimmer with support brace



2021

Complete return inlet for 2001



2022

Hose adaptor



2023

Basket for skimmer



2024

Spring loaded Skimmer weir with foam



2025

Screw for standard skimmer



2026

Screw for wide mouth skimmer



20272

Standard gasket(2pcs)



20275

Double layer standard gasket



2028

Standard face plate



2029

Wide mouth gasket (2pcs)



Wall Skimmer



2030

Wide mouth face plate



2058

Double layer wide mouth gasket



20321

Skimmer cover



2031

Threaded/barbed elbow fitting



2038

Return gaskets (2pcs)



2041

Ball set bush



2042

Vacuum plate with hose adaptor



2045

Octagonal nut




2046

Eyeball base



2047

Return Eyeball & ring



2054

Standard wall skimmer vanity plate



2055

Wide mouth skimmer vanity plate



2051

Skimmer support



2981

Filter saver skimmer basket sock



2968

Return winterizing plug with "o" ring

Vacuum Head



1001

Deluxe liner Vac. Head with bumper (cast iron weighted)



1002

Economy liner Vac Head



1003

Triangular liner vac head w/ swivel



1004

Deluxe triangular transparent cast iron weighted vac head



1005

Deluxe large vac. Head cast iron weighted w/side brush



1007

14"Flexible vacuum head for in-ground pool



1008

14"Flexible vacuum head w/ side brush for in-ground pool



1017

14"Flexible vacuum head for in-ground pool



10101

14"Flexible weighted vacuum head

Vacuum Head



1011

Vac head with 4 wheels ,Alu body, plastic handle(34.5*13cm)



1012

Deluxe large Vac head ,4 wheels ,Alu body,plastic handle(44.5*13cm)



1013

Vac head with 4 wheels ,Alu body ,plastic handle (34.5*13cm)-with spanish handle



1014

Deluxe large Vac head ,4 wheels ,Alu body,plastic handle(44.5*13cm) -with spanish handle



1021

14"flexible vac head with swivel metal handle



1024

19"deluxe flexible vac head



1026

Vac head with air relief valve



1101

Economy jet vacuum w/brush for small above group pool



1102

Jet vac w/ brush for spa & splasher



1103

Jet vac kit w/ 5 section pole of 48"/120cm



1104

Jet vac kit w/3 section pole of 52"/135cm



1105

Deluxe large Jet vac with brush for spa & splasher



1106

Jet vac kit w/3 section pole of 43"/110cm



1030

14.5"/37cm Leaf eater w/swivel sheels & brushes



2904

Replacement bag for Jet Vac head 23x38cm



2958

Replacement Bag for Leaf Eater 45x60cm

Jet Vacuum

Leaf Skimmer



1301

Standard leaf skimmer



1302

Heavy duty Plastic leaf skimmer w/ long wearing mesh



1303

Aluminium leaf skimmer



1304

Leaf skimmer with aluminum handle



1305

Professional heavy duty aluminum leaf skimmer



1306

Leaf skimmer with aluminum frame and plastic handle



1307

Leaf skimmer w/aluminum pole of 48"-122cm in 5 section



1319

Leaf skimmer with magnet



1322

Service grade leaf skimmer



1331

Commercial Grade Swimming Pool Leaf Skimmer with Strong Reinforced Aluminum Frame Handle

Easy clip



1308

Leaf skimmer with 3x14"-35cm telescopic pole



1309

Leaf skimmer w/ 48"- 122cm,φ12mm aluminum pole



1310

Leaf skimmer w/ 60"- 150cm,φ22mm aluminum pole

Leaf Rake



1201

Economy deep bag skimmer



1202

Economy deep bag skimmer with aluminum handle



1203

Aluminum frame deep rake(Bule anodized handle)



1204

Heavy duty plastic leaf rake with long wearing mesh



1205

Professional heavy duty deep rake w/aluminum frame



1207

Deep rake w/ aluminum frame and plastic handle



1219

Service grade deep bag rake



1233

Leaf rake for spa and above ground pool

Easy clip



1231

Commercial Grade Swimming Pool Leaf Rake with Strong Reinforced Aluminum Frame Handle

Easy clip



1211

Leaf rake w/ 3x14"-35cm telescopic pole



1218

Leaf rake w/48"/122cm,φ22mm aluminum pole

Brush



1401

18"/45cm standard curved polybristle wall brush



1405

18"/45cm deluxe wall brush w/ aluminum back



1403

18"/45cm deluxe stainless steel algae brush w/ aluminum back



14013

18"/45cm standard curved polybristle wall brush



1408

Flexible brush w/ aluminum handle EZ-clip and extra bristle



14081

Flexible brush w/ aluminum handle EZ-clip, stainless steel bristles



1437

18"/45cm wall brush w/ aluminium handle



1439

18"/45cm wall brush w/ aluminium handle, stainless steel bristle



1445

10"/26 cm wall brush with 3x52"/135cm aluminium pole



14291

19"/50cm Metal Back Wall Brush with Ez-clip Handle, pp bristle



1436

24"/60cm Metal Back Wall Brush with Ez-clip Handle, pp bristle



1435

36"/90cm Metal Back Wall Brush with EZ-clip Handle, pp bristle



1402

10"/26cm polybristle wall brush



1404

10"/26cm Hi-grade stainless steel algae brush



1441

10"/26cm Wall Brush with Aluminium Handle. PP bristles



1442

10"/26cm Wall Brush with Aluminium Handle, stainless steel bristles



1443

5.5"/14cm Wall Brush with Aluminium Handle. PP bristles



1444

5.5"/14cm Wall Brush with Aluminium Handle, stainless steel bristles



14021

10"/26cm polybristle wall brush (Australian handle)



1427

18"/45cm standard curved polybristle wall brush (Australian handle)

Brush

Brush



1446

Pumice Stone



1428

Evolution Corner Vacuum Brush



1450

Magic Scrubbing Foam (Set of 2 large + 3 small pieces)



1410

Finger brush



1409

Scrubber pad brush



1407

Water line scrub pad with detergent tank and EZ-clip



1422

Polybristle corner brush on EZ-Clip handle



2909

Replacement scrub pads for 1407



1449

Brush for spa and above ground pool with nylon bristle



1452

Scrubbing pad brush for spa and above ground pool



1456

Pool and spa scrubbing (1 pc)



1459

Oil Absorbing Scum Sponge

Chemical Dispenser



1501

9" Deluxe large chemical dispenser for 3" tablets



1503

7" Chemical dispenser for 3" tablets



1505

5" Chemical dispenser for 1 1/2" tablets



1502

9" Deluxe large chemical dispenser for 3" tablets, with the telescopic pedestal



1504

7" Deluxe large chemical dispenser for 3" tablets, with the telescopic pedestal



1506

5" Chemical dispenser for 1 1/2" tablets, with the telescopic pedestal



1510

Floating animal dispenser with thermometer-Turtle



1513

5" Chemical Dispenser for 1 1/2" tablets



1514

7" Chemical dispenser for 3" tablets



1515

7" Chemical Dispenser for 3" Tablets with Thermometer



1516

8" Chemical Dispenser (High 12") for 3" Tablets



1517

5" Spa Chemical Dispenser for 1 1/2" Tablets



1522

Goldfish style pool chemical dispenser



15074

4lb in line chemical feeder w/fittings

Aluminum Telepole

Standard grip & lock



Deluxe EZ twist connect and disconnect lock



Oversized grip & lock , only 2-section available



Deluxe grip & lock , only 2-section available



Fiberglass pole , only 2-section available



	2x120CM	2x180CM	2x240CM	3x100CM	3x120CM	3x150CM
Smooth pole-0.8mm thick	2212SABU	2218SABU	2224SABU	2310SABU	2312SABU	2315SABU
Smooth pole-1.1mm thick	2212SBBU	2218SBBU	2224SBBU	2310SBBU	2312SBBU	2315SBBU
Ribbed pole-0.8mm thick	2212RABU	2218RABU	2224RABU	2310RABU	2312RABU	2315RABU
Ribbed pole-1.1mm thick	2212RBBU	2218RBBU	2224RBBU	2310RBBU	2312RBBU	2315RBBU



1725

Plastic pole hanger (2pcs) w/ screws



1726

Alu Pole Hose Hook set (2pcs) w/ screws



1734

Alu Pole Hose Hook set (2pcs) w/ screws

Hose

Filter connector hose blow molded PE

	3ft(1m)	6ft(2m)
φ 1 1/4"	3201	3202
φ 1 1/2"	3801	3802



Drain hose-1m per section

	108ft(36m)	150ft(50m)
φ 1 1/4"	3203	3204
φ 1 1/2"	3803	3804



Extruded PE vacuum hose

	20ft(6m)	30ft(9m)	40ft(12m)	42ft(13m)	50ft(15m)	100ft(30m)
φ 1 1/4"	3206PE	3209PE	3212PE	3213PE	3215PE	3230PE
φ 1 1/2"	3806PE	3809PE	3812PE	3813PE	3815PE	3830PE



Extruded EVA vacuum hose

	20ft(6m)	30ft(9m)	40ft(12m)	42ft(13m)	50ft(15m)
φ 1 1/4"	3206EV	3209EV	3212EV	3213EV	3215EV
φ 1 1/2"	3806EV	3809EV	3812EV	3813EV	3815EV
φ 2"	5006EV	5009EV	5012EV	5013EV	5015EV



Transparent PVC blue backwash hose



Economy PVC blue backwash hose



PE backwash hose



	25ft(7.5m)	50ft(15m)	75ft(22.5m)	100ft(30m)	200ft(60m)
φ 1 1/2"	3851	3852	3853	3854	3855
φ 2"	3856	3857	3858	3859	3860

Reel Vacuum Hose Set

3862	Hose Reel-carrie vacuum hose with Extruded PE hose φ 1 1/2"-9M
3863	Hose Reel-carrie vacuum hose with Extruded PE hose φ 1 1/2"-13M
3864	Hose Reel-carrie vacuum hose with Extruded PE hose φ 1 1/2"-13M



3861

Hose Reel-carries vacuum hose up to 13m in length



Thermometer



1601

Economy thermometer



1602

Large thermometer



1603

Jim Buoy thermometer



1604

Deluxe floating thermometer with string attachment



1605

Deluxe round thermometer



1607

Jumbo easy read thermometer



1608

Round Thermeter



1609

Round colorful economy thermometer



1610

Floatling animal thermometer in 4 styles



1611

Floating cool pool animal thermometer in 3 styles



1619

Floating nipple thermometer(single side)



1620

Floating nipple thermometer(double side)



1621

Floating cool pool animal thermometer-Frog

Thermometer



1622

Floating cool pool animal thermometer- (Penguin)



1623

Floating animal thermometer (whale in Recliner)



1624

Floating animal thermometer (crab)



1625

Floating animal thermometer (octopus)



1626

Floating thermometer- (oldman in bathtub)



1627

Floating animal thermometer (the ugly fishing boat)



1630

Floating thermometer- (fish)



1631

Floating thermometer- (fish)



1633

Floating thermometer (with pineapple head)



16161

Solar powered digital floating thermometer (on button with automatic shut off)



16163

Solar powered digital floating thermometer (on and off button)



1629

Digital wireless floating pool thermometer

Test Strip & Kit



① 1901	2 in 1 test strips test Chlorine and pH in water-50 strips
② 1902	3 in 1 bromine test strips test Bromine, pH and Total Alkalinity-50 strips
③ 1903	3 in 1 Chlorine test strips test Free Chlorine, Total alkalinity and pH-50 strips
④ 1904	4 in 1 test strips test Chlorine and pH, Total Alkalinity, Total Bromine -50 strips
⑤ 1905	5 in 1 test strips.(test Total Chlorine, Free Chlorine, Total Alkalinity, pH and Total hardness)-50 strips
⑥ 1906	6 in 1 test strips (test total hardness,total chlorine,free chlorine PH total Alkalinity and cyanuric Acid)-50 strips



① 1907	Basic PH &CL test kit
② 1908	Test kit refill bottle (20 C.C.)
③ 1909	3 in 1 swimming test kit (test Free Chlorine , Bromine and pH)
④ 1910	3 in 1 swimming test kit refills(test Free Chlorine, Bromine and pH)
⑤ 1911	5-way test kit for pool & spa test Chlorine, Bromine, pH, Acid demand, Total Alkalinity
⑥ 1912	5-way test kit refills for pool & spa (test Chlorine and Bromine, pH, Acid demand, Total Alkalinity)
⑦ 1913	6-way test kit for pool & spa test Chlorine and Bromine, pH, Acid demand, Total Alkalinity, Total hardness
⑧ 1914	6-way test kit refills for pool & spa test Chlorine and Bromine, pH, Acid demand, Total Alkalinity, Total hardness

1935

Economy Digital pH Meter



1936

Test tablets(PH/DPD)(20tablets)



Maintenance Kit



2101

Swimming pool maintenance kits(1301,1001,1401,1907,1604)



2102

Maintenance kits(1003,1402,1601,1301)



2103

Swimming pool maintenance kits(1201,1008,1301,1401,1907)



2104

Swimming pool maintenance kits(1907,1005,1603,1203,1405)



2105

Swimming pool maintenance kits (1504,1402,1103,1601,1907,1307)



2106

Swimming pool maintenance kits (1410,1003,1201,1301,1401,1604,1907)

2107

Swimming pool maintenance kits (1203,1410,1303,1607,2306RA)



Spare Parts And Others


				
1708	1709	1710	1711	1735
Waterfall fountain	Flower waterfall fountain	Winter Floater	Wintering gizzmo bottles threaded 1.5"/2"	Large Pool Float (Ø125 x 204mm/5"x9")

				
1712	1713	1714	1715	1736
1.5" to 2" rubber plug	1.0" to 1.5" rubber plug	Vinyl pool repair kit (20ml)	Vinyl pool repair kit (30ml)	Vinyl pool repair kit (60ml)

			
1719	1720	1727	2003
Rear Mount Pressure Gauge-60 PSI	Bottom Mount Pressure Gauge-60 PSI	Floating skimmer (1m hose included)	Main drain safe design

			
1745	17451	17391	2381
Molded buoy ring with rope surround (Outer:φ7 10mm,Inner:φ440mm,H: 105mm)	kids buoy ring with rope surround(Outer:φ580mm, Inner:φ340 mm,H:90mm)	Peel & patch vinyl repair kit	Aluminium life hook

Spare Parts And Others

			
2901	2902	2903	2929
Standard vacuum handle	Quick snap butterfly clips (4PCS)	Long lock pin for vacuum handle (4PCS)	EZ-clip (4PCS)

			
2905	2906	2908	2926
NPT tie-in for American standard (2PCS)	BSPT tie-in for European standard (2PCS)	1 1/2" cuff for vacuum hose	PVC wheels with locks and pins (4PCS)

			
2907	3018	2948	29481
Replacement brushes (8PCS)	Australian version handle	2" HOSE CLAMPS (33*57MM))	1.5" HOSE CLAMPS (27-51MM)

			
1731BX01	2945	2946	2947
Swimming pool lane(10M length with 12 pcs floats)	Big Size Filter Cartridge Water Flow:1000 gallon Filter cartridge(ID:53 OD:106 H:203)	Middle Size Filter Cartridge Water Flow:600 gallon Filter cartridge(ID:55 OD:106 H:136)	Small Size Filter Cartridge Water Flow:300 gallon Filter cartridge(ID:48 OD:80 H :90)
1731BX02			
Swimming pool lane-(15M length with 18 pcs floats)			
1731BX03			
Swimming pool lane(20M length with 25 pcs floats)			
1731BX04			
Swimming pool lane(50M length with 63pcs floats)			

Solar Pool Light

- Waterproof IPX8
- Multi- Purpose Use
- Unique Design Multi-color RGB Light



- Solar Energy Battery & Long Working Time
- Lighting off at daytime/ on at darktime



- Material
PC,ABS,Silicon
- Dimension
φ171 X 39mm
- Quantity PDQ
6pcs
- Light Size
H:40*L:170*W:170mm
- Controller Size
H:70*L:85*W:52mm
- Master CTNS Size
330*330*330mm



Swimming Pool Liner Pad

- Protect your pool liner and above-ground swimming pool
- Shape: can be round,oval,rectangle,square and so on. (Any shape is available)
- Weight: 100g to 300g(custom weight is available)
- Material: eco-friendly geotextile fabric
- Color: normal in white color
- Packing way: vacuum bag package or pvc handbag



Packing Photo



DISPLAY BOX

- Display box with paper pallet
- Pallet size:120*80CM
- Other Design Available



PBH

Plastic Bag with Head



CBX

Color Box



DIS

Display Box



CS

Clamshell



CB

Cardboard



BL

Blister Card



BU

Plastic Bag



SW

ShrinkWrap